

Work Order ID 150581

Monday, August 29, 2016 2:42:08 PM

150581

Page 1

Item ID: D3196-3

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Bar

Start Date: 8/18/2016 Start Qty: 4.00

4

Cust Item ID:

Required Date: 8/29/2016 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals: Process Plan:

DAS
21
8-29

Date: AUG 31 2016

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D3196

Rev C

100

0.00

100

BAND SAW

Bandsaw

Memo

0.00

Jeaspa Bandsaw

Cut blank: (0.75" x 1.50") x 34.750" long Bar

3

JL69-26

110

0.12

110

HAAS CNC VERTICAL MACHINING #1

HAAS 1

Memo

0.38

HAAS CNC vertical machine #1

1-Machine D3196-3 as per Folio FA339 and Dwg D3196Identify as D3196-32-
Deburr

3

0

DAS
33
9-29 11/09/27

120

0.00

120

QC2- Inspect parts off machine FAI/FAIB

QC

Memo

0.01

Quality Control

3

0

DAS
33
9-29 11/09/27

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By																																																									
								Lead hand / Supervisor Approval Verification																																																									
								QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

Work Order ID 150581

Monday, August 29, 2016 2:42:08 PM

150581

Page 2

Item ID: D3196-3

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Bar

Start Date: 8/18/2016 Start Qty: 4.00 ***4***

Cust Item ID:

Required Date: 8/29/2016 Req'd Qty: 4.00 ***4***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	QC8- Inspect parts - second check	0.00							
130						3	0		DAS 14 9:29
QC	Memo	0.01							16/09/28
Quality Control									
140	Chemical Conversion Coat per QSI005 4.1	0.00							
140						(x3)	0		2016/09/28
HandFinish	Memo	0.05							BEB
Hand Finishing									
150	Grey Sandtex(Ref:4.3.5.6) per QSI005 4.3	0.00							
150						3	0	16-09-29	DAS 34 9:29
Powdercoat	Memo	0.02							
Powder Coating									
	START TIME: 9:15								
	FINISH TIME: 9:15								

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 150581

Monday, August 29, 2016 2:42:08 PM

150581

Page 3

Item ID: D3196-3

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Bar

Start Date: 8/18/2016 Start Qty: 4.00

4

Cust Item ID:

Required Date: 8/29/2016 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start

NR1

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160

QC3- Inspect Part Finish

0.00

160

QC

Memo

0.01

3

SEP 29 2016

Quality Control

170

Identify as per dwg & Stock Location: Stasp

0.00

170

Packaging

Memo

0.01

3

DAS
21
9-89

SEP 29 2016

Packaging

180

QC21- Final Inspection - Work Order Release

0.00

180

QC

Memo

0.07

DAS
21
9-89

SEP 29 2016

Quality Control

DAS
21
9-89

SEP 29 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>				Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																		
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																		
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																		
Large Fab ☐	Composite ☐	Supplier ☐																			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval																	
Description Work Order Deviation		Disposition		Completed By																	
				Lead hand / Supervisor Approval Verification																	
				QC / QA Coordinator Approval																	
Root Cause		FAULT CATEGORY																			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐																
OTHER :																					

Picklist Print

Monday, August 29, 2016 2:42:08 PM

Page 1

Work Order ID: 150581

150581

Parent Item: D3196-3

D3196-3

Parent Item Name: Bar

Start Date: 8/18/2016

Required Date: 8/29/2016

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP Rev: A New Issue 05-11-08 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6B0.750X01.50 0		Purchased		No		100	f	16.0105	2.89	12.16842			

M6061T6B0 750X01 500

6061-T6 Bar .750 X 1.50

Location

Loc Qty

Loc Code

MAT

16.0105

134284

0.52

m131700

2.7905

m134984

0.7

m135247

12

SL 169-26

~~114~~ 8.72

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

DART AEROSPACE LTD		Work Order:	150581
Description: Bar		Part Number:	D3196-3
Inspection Dwg: D3196 Rev: C		Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
34.625	+/-0.010	34.625	✓		HSP-07	run type
33.650	+/-0.005	33.656	✓		MIP-04	run
0.488	+/-0.005	0.484	✓			
17.011	+/-0.010	17.011	✓			
0.512	+/-0.005	0.511	✓			
1.500	+/-0.010	1.503	✓			
0.464	+/-0.010	0.464	✓			
0.504	+/-0.010	0.500	✓			
Ø0.344	+0.006/-0.001	0.345	✓			
Ø0.660 x 100°	+0.008/-0.001 x 0.5°	0.660 x 100°	✓			
0.962	+/-0.005	0.962	✓			
0.750	+/-0.010	0.750	✓			
4.750	+/-0.010	4.750	✓			
12.531	+/-0.010	12.531	✓			
16.999	+/-0.010	16.999	✓			
21.844	+/-0.010	21.844	✓			
29.625	+/-0.010	29.625	✓			
0.250	+/-0.010	0.250	✓			
1.000	+/-0.010	1.000	✓			
R0.125	+/-0.010	0.125	✓			
0.987	+/-0.010	0.987	✓			
0.060 x 45°	+/-0.010 x 0.5°	0.070	✓			

Measured by:	14/01/27 DAS	Audited by:	14 DAS	Prototype Approval:	N/A
Date:	14/01/27	Date:	14/09/28	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	04.04.20	New Issue	KJ/RF	
B	06.10.24	Dwg Rev. updated	KJ/JLM	
C	07.05.08	Dwg Rev. updated	KJ/JLM	


DART

DESIGN <i>qp</i>	DRAWN BY <i>JB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PH</i>	APPROVED <i>JB</i>	DRAWING NO. D3196	REV. C SHEET 1 OF 3
DATE 06.10.31	TITLE BAR		SCALE 1:4
A	03.06.25	NEW ISSUE	
B	06.09.25	ADD D3196-5	
C	06.10.31	ADD SLOTS ON -1; REMOVED -5	

RELEASED

06.10.31

DEO ATTACHED

**D3196-1 BAR**

- 1) MATERIAL: 6061-T6/T651 ALUMINUM (QQ-A-200/8 OR QQ-A-225/8)
(REF DART SPEC. M6061T6B)
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 3) FINISH: ACID ETCH AND ALODINE PER DART QSI 005 4.1
POWDER COAT GREY SANTEX (4.3.5.6) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES


Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DEO ATTACHED

RELEASED
06.10.31



D3196-3 BAR

- 1) MATERIAL: 6061-T6/T651 ALUMINUM (QQ-A-200/8 OR QQ-A-225/8)
(REF DART SPEC. M6061T6B)
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 3) FINISH: ACID ETCH AND ALODINE PER DART QSI 005 4.1
POWDER COAT GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES


DESIGN	DRAWN BY	DART AEROSPACE LTD
06	06	HAWKESBURY, ONTARIO, CANADA
CHECKED	APPROVED	DRAWING NO.
06	06	D3196
DATE	TITLE	SHEET 2 OF 3
06.10.31	BAR	SCALE
		1:5

DART

DEO ATTACHED

RELEASED

06-10-31



D3196-4 BAR

- 1) MATERIAL: 6061-T6/T651 ALUMINUM (QQ-A-200/8 OR QQ-A-225/8)
(REF DART SPEC. M6061T6B)
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 3) FINISH: ACID ETCH AND ALODINE PER DART QSI 005 4.1
POWDER COAT GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES

DESIGN	DRAWN BY	DART AEROSPACE LTD
CHICKED	APPROVED	HAWKESBURY, ONTARIO, CANADA
DATE	TITLE	REV. C
06.10.31	BAR	SHEET 3 OF 3
		SCALE
		1:5

DRAWING NO. D3196	TITLE BAR	REV. C	DART AEROSPACE LTD ENGINEERING ORDER		D.E.O. NO. D3196-C-1	SHEET NO. SHEET 1 OF 2	SCALE NTS
DRAWN <i>ASS</i>	CHECKED <i>[Signature]</i>	MFG. APPR. <i>[Signature]</i>	APPROVED <i>[Signature]</i>		DE APPR. <i>[Signature]</i>		
DATE 08.08.27	DATE 08.08.28	DATE 08.08.29	DATE 08.08.29	DATE 08.08.29	DATE 08.09.04		


SHEET 1 MODIFY SLOT DIMENSIONING ON D3196-1 AS SHOWN:

IS:



D3196-1 BAR


WAS:



D3196-1 BAR


SHEET 2 MODIFY SLOT DIMENSIONING ON D3196-3 AS SHOWN:

IS:



D3196-3 BAR


WAS:



D3196-3 BAR


SHEET 3 MODIFY SLOT DIMENSIONING ON D3196-4 AS SHOWN:

IS:




D3196-4 BAR

WAS:




D3196-4 BAR


DRAWING NO. D3196	TITLE BAR	REV. C	DART AEROSPACE LTD ENGINEERING ORDER	D.E.O. NO. D3196-C-1	SHEET NO. SHEET 2 OF 2	SCALE NTS
DRAWN <i>ASS</i>	CHECKED <i>[Signature]</i>	MFG. APPR. <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DE APPR. <i>[Signature]</i>		
DATE 08.08.27	DATE 08.08.28	DATE 08.08.29	DATE 08.08.29	DATE 08.08.29	DATE 08.09.04	




SECTION B-B




DETAIL A




SECTION D-D



DETAIL C



SECTION F-F



DETAIL E

NOTE: THIS CHANGE HAS BEEN DONE TO CLARIFY SLOT DIMENSIONS ONLY. NO CHANGES HAVE BEEN MADE TO THE PARTS
SEE NCR 08-051 FOR FURTHER INFORMATION
ALL OTHER INFORMATION REMAINS UNCHANGED